

Form – IV
(See rule 13)
MONTHLY REPORT

Sl. No.	Particulars	
1	Particulars of the Occupier	: Dr. Durga Prasad Jena
	(i) Name of the authorized person (occupier or operator of facility)	:
	(ii) Name of HCF or CBMWTF	: Chittaranjan National Cancer Institute
	(iii) Address for Correspondence	: 37, S. P. Mukherjee Road, Kolkata-700026
	(iv) Address of Facility	: 37, S. P. Mukherjee Road, Kolkata-700026
	(v) Tel. No, Fax. No	: 033-2475-7606
	(vi) E-mail ID	: cnciinstkol@gmail.com
	(vii) URL of Website	: www.cnci.ac.in
	(viii) GPS coordinates of HCF or CBMWTF	: Latitude: 22.523181, Longitude: 88.3445583
	(ix) Ownership of HCF or CBMWTF	: Autonomous Institute Under Gol
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	: Authorisation No.: C009256 223-25(BM) 119-2001-26.03.2018 Valid upto: 31.10.2022
(xi). Status of Consents under Water Act and Air Act	: Valid upto: N/A	
2	Type of Health Care Facility	: Hospital
	(i) Bedded Hospital	: No. of Beds: 200
	(ii) Non-bedded hospital Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: N/A
3	(iii) License number and its date of expiry	: Autonomous Institute Under MoHFW ,Gol
	Details of CBMWTF	: Medicare Environmental Management Pvt. Ltd, 41, F-Road, Belgachia, Near HMC Hotmix Plant Howrah – 711 105
	(i) Number of health care facilities covered by CBMWTF	: 2192 Hospitals
	(ii) No. of Beds covered by CBMWTF	: 31900 beds(Including 4690 DHD beds)
	(iii) Installed treatment and disposal capacity of CBMWTF;	: 7500 Kg / day
4	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	: 12,947 Kg / day
	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	: Yellow Category: 451
		: Red Category: 335
		: White: 85
		: Blue Category: 289
	: General Solid Waste: 1160	
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility	
	(i) Details of the on-site storage	: Size: 400 sq. feet
	facility	: Capacity: 280 Kg/day Provision of on-site storage : (Cold storage or any other provision)


MS

(ii) Disposal facilities		Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum		
		Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps Encapsulation or concrete pit Deep burial pits Chemical disinfection: Any other treatment equipment:	}	Handled by CBMWTF			
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) Not done					
(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	Outsourced - Medicare Environmental Management Pvt. Ltd, 41, F – Road, Belgachia, Near HMC Hotmix Plant Howrah – 711 105					
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum					Quantity Generated	Where disposed	
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		Incineration			N/A		
(vii) List of member HCF not handed over bio-medical waste.		Ash			N/A		
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		ETP Sludge			N/A		
7 Details trainings conducted on BMW		Committee of concern officials of Chittaranjan National Cancer Institute(CNCI) with respect to KAYA KALPA committee & Infection Control Committee of CNCI					

MS
2

	(i) Number of trainings conducted on BMW Management		0 times
	(ii) Number of personnel trained		Nil
	(iii) Number of personnel trained at the time of induction		Nil
	(iv) Number of personnel not undergone any training so far		Nil
	(v) Whether standard manual for training is available?		Yes, As per standard guide line
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		None
	(ii) Number of persons affected		None
	(iii) Remedial Action taken (Please attach details if any)		N/A
	(iv) Any Fatality occurred, details		No
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		N/A
	Details of Continuous online emission monitoring systems installed		N/A
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Liquid waste disposed through Sewerage Pipe Line of the corporation (KMC), which has its own system of treatment of Sewerage. N/A
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		N/A
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator) N/A

Certified that the above report is for **July 2023**.



Name and Signature of the Head of the Institution

Date: 04-08-2023

Place: Kolkata

